

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls.) and (process adj requestor)	US-PGPUB; USPAT	AND	ON	2007/09/14 09:08
L5	29	(US-20030069974-\$ or US-20030055668-\$ or US-20030135722-\$ or US-20030037091-\$ or US-20040202165-\$ or US-20040100906-\$ or US-20020135611-\$).did. or (US-6996821-\$ or US-5317738-\$ or US-5890217-\$ or US-5257359-\$ or US-5247675-\$ or US-6898793-\$ or US-6658453-\$ or US-6185619-\$ or US-6128657-\$ or US-6021427-\$ or US-5706516-\$ or US-5553239-\$ or US-5546594-\$ or US-6738378-\$ or US-6442585-\$ or US-6625639-\$ or US-5844980-\$ or US-5717745-\$ or US-6665699-\$ or US-6604174-\$ or US-6580431-\$ or US-5875464-\$). did.	US-PGPUB; USPAT	AND	ON	2007/09/14 09:06
L6	1	L5 and (sub adj process adj priority)	US-PGPUB; USPAT	AND	ON	2007/09/14 09:07
L8	0	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and (("remote procedure call" or RPC) same (applicable near2 (process or program)))	US-PGPUB; USPAT	AND	ON	2007/09/14 09:11
L10	289	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and (agent near3 process\$5 near2 request)	US-PGPUB; USPAT	AND	ON	2007/09/14 13:50
L11	45	L10 and (agent or process or task near3 (priority or prioritiz\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 10:22
L13	21	L10 and (determin\$5 or set\$5 or calculat\$5 or choos\$5 or select\$5) near3 (agent or process or task) near3 (priority or prioritiz\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 10:22

EAST Search History

L14	37	(US-20030069974-\$ or US-20030055668-\$ or US-20030135722-\$ or US-20030037091-\$ or US-20040202165-\$ or US-20040100906-\$ or US-20020135611-\$ or US-20040216126-\$ or US-20040103194-\$ or US-20040078461-\$ or US-20040098486-\$ or US-20040030741-\$ or US-20030191857-\$ or US-20030187931-\$ or US-20030050960-\$).did. or (US-6996821-\$ or US-5317738-\$ or US-5890217-\$ or US-5257359-\$ or US-5247675-\$ or US-6898793-\$ or US-6658453-\$ or US-6185619-\$ or US-6128657-\$ or US-6021427-\$ or US-5706516-\$ or US-5553239-\$ or US-5546594-\$ or US-6738378-\$ or US-6442585-\$ or US-6625639-\$ or US-5844980-\$ or US-5717745-\$ or US-6665699-\$ or US-6604174-\$ or US-6580431-\$ or US-5875464-\$). did.	US-PGPUB; USPAT	AND	ON	2007/09/14 10:49
L15	1	L14 and (group\$4 or compound\$4 or sum\$4 or total\$4 or cumulative) near3 process near3 priority	US-PGPUB; USPAT	AND	ON	2007/09/14 10:50
L16	4	L14 and (group\$4 or compound\$4 or sum\$4 or total\$4 or cumulative) near3 priority	US-PGPUB; USPAT	AND	ON	2007/09/14 10:52
L17	0	L10 and ((group\$4 or compound\$4 or sum\$4 or total\$4 or cumulative) near3 (process or job or task or agent) near2 priority)	US-PGPUB; USPAT	AND	ON	2007/09/14 10:53
L18	16	L10 and ((group\$4 or compound\$4 or sum\$4 or total\$4 or cumulative) near2 priority)	US-PGPUB; USPAT	AND	ON	2007/09/14 10:54
L19	58	(@ad<"20021205") and ("719"/\$3. ccls. or "718"/\$3.ccls. or "709"/\$3. ccls. or "709"/\$3.ccls.) and ((group\$4 or compound\$4 or sum\$4 or total\$4 or cumulative) near2 (process or task or job) near2 priority)	US-PGPUB; USPAT	AND	ON	2007/09/14 11:14

EAST Search History

L20	17	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and ((sum\$4 or total\$4 or cumulative) near2 (process or task or job) near2 priority)	US-PGPUB; USPAT	AND	ON	2007/09/14 11:55
L21	27	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and ((process or task or job) near2 (priority or grouping or order\$5) with ((persistent near2 stor\$5) or (hard adj disk) or (hard adj drive) or (disk adj drive)))	US-PGPUB; USPAT	AND	ON	2007/09/14 12:01
L22	17	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and ((process or task or job) near2 (priority or grouping or order\$5) near7 ((persistent near2 stor\$5) or (hard adj disk) or (hard adj drive) or (disk adj drive)))	US-PGPUB; USPAT	AND	ON	2007/09/14 12:06
L23	31	(@ad<"20021205") and ((process or task or job) near2 (priority or grouping or order\$5) with (cach\$4 and memory and (disk or drive or storage)))	US-PGPUB; USPAT	AND	ON	2007/09/14 12:10
L24	18	(@ad<"20021205") and ((process or task or job) near2 (priorit\$5 or group\$4) near5 (locat\$5 or exist\$5 or position\$5) near4 (disk or drive or storage))	US-PGPUB; USPAT	AND	ON	2007/09/14 12:11

EAST Search History

L25	40	(US-20030069974-\$ or US-20030055668-\$ or US-20030135722-\$ or US-20030037091-\$ or US-20040202165-\$ or US-20040100906-\$ or US-20020135611-\$ or US-20040216126-\$ or US-20040103194-\$ or US-20040078461-\$ or US-20040098486-\$ or US-20040030741-\$ or US-20030191857-\$ or US-20030187931-\$ or US-20030050960-\$ or US-20040054999-\$).did. or (US-6996821-\$ or US-5317738-\$ or US-5890217-\$ or US-5257359-\$ or US-5247675-\$ or US-6898793-\$ or US-6658453-\$ or US-6185619-\$ or US-6128657-\$ or US-6021427-\$ or US-5706516-\$ or US-5553239-\$ or US-5546594-\$ or US-6738378-\$ or US-6442585-\$ or US-6625639-\$ or US-5844980-\$ or US-5717745-\$ or US-6665699-\$ or US-6604174-\$ or US-6580431-\$ or US-5875464-\$ or US-5983261-\$ or US-6633954-\$). did.	US-PGPUB; USPAT	AND	ON	2007/09/14 13:27
L26	2	L25 and (thread\$5 near\$5 parallel)	US-PGPUB; USPAT	AND	ON	2007/09/14 13:27
L27	14	L25 and (thread\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 13:33
L28	6	L25 and (thread\$5 near\$2 multi\$4)	US-PGPUB; USPAT	AND	ON	2007/09/14 13:39
L29	14	L25 and ((thread\$5 near\$2 multi\$4) or multi-thread\$5 or multithread\$5 or parallel near\$2 (process\$5 or thread\$4 or execut\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 13:47
L30	3	L25 and (("not" near\$2 (finish\$3 or complet\$5)) or unfinish\$4 or incomplet\$5 or uncomplet\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 13:49
L31	0	(@ad<"20021205") and ("719"/\$3. ccls. or "718"/\$3.ccls. or "709"/\$3. ccls. or "709"/\$3.ccls.) and (agent near\$3 process\$5 near\$2 request) and (thread\$5 near\$2 (("not" near\$2 (finish\$3 or complet\$5)) or unfinish\$4 or incomplet\$5 or uncomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 13:50

EAST Search History

L32	8	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "709"/\$3.ccls.) and (thread\$5 near2 ("not" near2 (finish\$3 or complet\$5)) or unfinish\$4 or incomplet\$5 or uncomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 13:51
L34	12	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (thread\$5 near4 ("not" near2 (finish\$3 or complet\$5)) or unfinish\$4 or incomplet\$5 or uncomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 13:53
L36	66	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (determin\$5 or check\$5) near4 (thread\$5 near4 (finish\$3 or complet\$4 or unfinish\$4 or incomplet\$5 or uncomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 14:12
L38	0	L25 and (determin\$5 or check\$5) near4 (thread\$5 near4 (finish\$3 or complet\$4 or unfinish\$4 or incomplet\$5 or uncomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 13:57
L39	0	(@ad<"20021205") and (determin\$5 or check\$5) near4 (thread\$5 near4 (finish\$3 or complet\$4 or unfinish\$4 or incomplet\$5 or uncomplet\$5)) and (chang\$5 or alter\$5 or updat\$4 or modif\$5) near3 (("yes" near2 "no") or (finished near2 (unfinished or "not finished"))) or (complete near2 (incomplete or "not complete")))	US-PGPUB; USPAT	AND	ON	2007/09/14 14:10
L40	0	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (ensur\$5 or guarant\$5) near3 ((in adj order) or ordered) near3 thread near3 (complet\$5 or execut\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 14:14
L41	0	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (ensur\$5 or guarant\$5) near5 ((in adj order) or ordered) near5 thread near5 (complet\$5 or execut\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 14:14
L42	1	(@ad<"20021205") and (ensur\$5 or guarant\$5) near5 ((in adj order) or ordered) near5 thread near5 (complet\$5 or execut\$5)	US-PGPUB; USPAT	AND	ON	2007/09/14 14:14

EAST Search History

L43	76	(@ad<"20021205") and (((in adj order) or ordered) near5 thread near5 (complet\$5 or execut\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 14:19
L44	6	(@ad<"20021205") and (((in adj order) or ordered) near5 thread near5 (complet\$5 or execut\$5)) and ((chang\$5 or alter\$5 or updat\$5 or modif\$6) near3 (complet\$5 or incomplet\$5))	US-PGPUB; USPAT	AND	ON	2007/09/14 14:21
L46	4	L25 and ("yes" near2 "no")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 14:21
S1	10217	(@ad<"20021206" or @rlad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/10 17:11
S2	122	S1 and ("message queueing" or (publish near2 subscribe) or msmqueue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 13:21
S3	10231	(@ad<"20021206" or @rlad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 15:56
S4	122	S3 and ("message queueing" or (publish near2 subscribe) or msmqueue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 13:21
S5	83	S4 and ((run\$5 or load\$5 or stor\$5 or open\$5) near3 (cache or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 15:40
S6	2	S4 and (((run\$5 or load\$5 or open\$5) near5 (program or application or agent or process) near5 (cache or memory) near10 (disk or storage or drive or harddrive or harddisk))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 15:42

EAST Search History

S7	402	(@ad<"20021206" or @rlad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and (load\$5 or execut\$5 or run\$5) with (program or process or application or software) with (cache or RAM or "random access memory" or caching) and (((insert\$5 or add\$5 or append\$4) near5 queue) or queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 15:59
S8	137	(@ad<"20021206" or @rlad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and ((load\$5 or execut\$5 or run\$5) with (program or process or application or software) with (cache or RAM or "random access memory" or caching)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:00
S9	123	(@ad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and ((load\$5 or execut\$5 or run\$5) with (program or process or application or software) with (cache or RAM or "random access memory" or caching)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:10
S10	101	(@ad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and ((load\$5 or execut\$5 or run\$5) near10 (program or process or application or software) near10 (cache or RAM or "random access memory" or caching)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:13
S11	56	(@ad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and ((load\$5 or execut\$5 or run\$5) near10 (program or process or application or software) near10 (cache or caching)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:13

EAST Search History

S12	51	(@ad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and ((load\$5 or execut\$5 or run\$5) near10 (program or process or application or software) near10 (cache)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:27
S13	7	(@ad<"20021206") and (709/206.ccls. or 709/201.ccls. or "718"/\$3.ccls. or 709/200.ccls.) and (load\$5 near5 (program or process or application or software) near5 (cache)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:32
S14	81	(@ad<"20021206") and ("718"/\$3.ccls. or "709"/\$3.ccls. or "711"/\$3.ccls. or "370"/\$3.ccls.) and (load\$5 near5 (program or process or application or software) near5 (cache)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:34
S15	2	S14 and ((execut\$5 or run\$5) near5 ("only" or "after") near3 cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:34
S16	313	(@ad<"20021206") and ((execut\$5 or run\$5) near5 (program or process or application or software) near5 (cach\$3)) and (((insert\$5 or add\$5 or append\$4) near5 queue) or (execution near2 queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:50
S19	18	S16 and (("process requestor" or "execution queue" or "process queue"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:45
S23	84	S16 and ((mov\$5 or read\$5 or load\$5 or transfer\$6) near3 (disk or drive or storage) near6 (cache or cache\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:47

EAST Search History

S24	1	S16 and ((mov\$5 or read\$5 or load\$5 or transfer\$6) near3 (disk or drive or storage) near6 (cache or cache\$5)) same ((executi\$5 or process\$5 or run\$5) near3 request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 16:48
S26	37	(@ad<"20021206") and (execut\$5 near5 (program or process or application or software) near5 request\$5) and (execution near2 queue) and ((load\$5 or read\$5 or access\$5 or retriev\$5) near5 (disk or drive or stoarge or store) near7 (cache or cach\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:31
S28	11	(@ad<"20021206") and (cach\$5 near3 (program or process or application) near5 (before or prior) near3 (execut\$5 or run\$5)) and ((load\$5 or read\$5 or access\$5 or retriev\$5) near5 (disk or drive or stoarge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:00
S29	41	(@ad<"20021206") and (cach\$5 near3 (program or process or application) near5 (before or prior) near3 (execut\$5 or run\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:05
S30	170	(@ad<"20021206") and (load\$5 near5 (program or process or application) near5 (cache) near5 (execut\$5 or run\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:24
S31	24	S30 and ((game or gaming) near2 console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:25
S32	146	S30 NOT S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:26
S33	2983	(@ad<"20021206") and (prefetch\$4 near5 cach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:32
S34	725	(@ad<"20021206") and (prefetch\$4 near5 cach\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 17:32

EAST Search History

S35	358	(@ad<"20021206") and (prefetch\$4 near5 cach\$5).ab. (execut\$5 near3 "after" or "once" or "only" or "when" near3 (stored or loaded or loading or "in") near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 08:52
S36	1496	(@ad<"20021206") and ((cache adj memory) and ((processor or CPU) near2 cache)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 10:53
S37	3	(@ad<"20021206") and ((cache adj memory) and ((processor or CPU) near2 cache)).ab. and ((repeat\$5 or repetitive) near10 (load\$5 or read\$5) near4 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 10:53
S39	323	(@ad<"20021206") and ((cache adj memory) and ((processor or CPU) near2 cache)).ab. and (read\$5 or load\$5 or access\$5) near5 (storage or memory or drive or disk) near5 (load\$5 or stor\$5) near5 (cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 15:48
S43	8	(@ad<"20021206") and (wait\$5 or paus\$5 or hold\$5) near10 (complet\$5 or finish\$5 or end\$5 or terminat\$5) near10 (process or agent or task or program) same (thrashing or "spin lock")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 15:52
S44	175	(@ad<"20021206") and (wait\$5 or paus\$5 or hold\$5) near10 (complet\$5 or finish\$5 or end\$5 or terminat\$5) near10 (process or agent or task or program) near10 cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 15:53
S45	104	(@ad<"20021206") and (wait\$5 or paus\$5 or hold\$5) near5 (complet\$5 or finish\$5 or end\$5 or terminat\$5) near5 (process or agent or task or program) near5 cach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 16:04
S47	0	(@ad<"20021206") and (program near5 execut\$5 near5 request\$5 near\$5 schedul\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 16:06
S49	15	(@ad<"20021206") and (program near5 execut\$5 near5 request\$5 near5 schedul\$5) and ("709"/\$3. ccls. or "718"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 17:06

EAST Search History

S51	2	"6898793".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 17:06
S52	7	("5546594" "5553239" "5706516" "6021427" "6128657" "6185619" "6658453").PN. OR ("6898793").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/13 10:37
S53	17	(US-20030069974-\$ or US-20030055668-\$ or US-20030135722-\$ or US-20030037091-\$).did. or (US-6996821-\$ or US-5317738-\$ or US-5890217-\$ or US-5257359-\$ or US-5247675-\$ or US-6898793-\$ or US-6658453-\$ or US-6185619-\$ or US-6128657-\$ or US-6021427-\$ or US-5706516-\$ or US-5553239-\$ or US-5546594-\$).did.	US-PGPUB; USPAT	AND	ON	2007/09/13 10:39
S54	3	S53 and (queue or agent or task) near5 (process\$5 or schedul\$5) near5 (method or mechanism)	US-PGPUB; USPAT	AND	ON	2007/09/13 10:42
S55	1	"aoki, junichi".in. and "kobayashi, yoshiaki".in. and "miyajima, hiroyuki".in. and "tai, hideki".in. and "yamamoto, gaku".in.	US-PGPUB; USPAT	AND	ON	2007/09/13 10:41
S56	844	(@ad<"20021205") and (choos\$5 or select\$5 or second\$5 or multiple) near5 (queue or agent or task) near5 (process\$5 or schedul\$5) near5 (method or mechanism)	US-PGPUB; USPAT	AND	ON	2007/09/13 10:57
S57	316	S56 and ("719"/\$3.ccls. or "718"/\$3. ccls. or "709"/\$3.ccls. or "705"/\$3. ccls.)	US-PGPUB; USPAT	AND	ON	2007/09/13 10:45
S58	64	S56 and ("719"/\$3.ccls. or "718"/\$3. ccls. or "709"/\$3.ccls. or "705"/\$3. ccls.) and (agent near5 process\$5)	US-PGPUB; USPAT	AND	ON	2007/09/13 13:17
S59	377	(@ad<"20021205") and (choos\$5 or select\$5) near5 (queue or agent or task) near5 (process\$5 or schedul\$5) near5 (method or mechanism)	US-PGPUB; USPAT	AND	ON	2007/09/13 13:50
S60	23	S58 and ((choos\$5 or select\$5) near5 (queue or agent or task) near5 (process\$5 or schedul\$5) near5 (method or mechanism))	US-PGPUB; USPAT	AND	ON	2007/09/13 10:50

EAST Search History

S61	1	S58 and ((choos\$5 or select\$5) near5 (queue) near5 (process\$5 or schedul\$5) near5 (method or mechanism))	US-PGPUB; USPAT	AND	ON	2007/09/13 10:49
S62	101	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (queue near3 processing near3 (mechanism or method or scheme))	US-PGPUB; USPAT	AND	ON	2007/09/13 11:02
S63	2	(@ad<"20021205") and ("719"/\$3.ccls. or "718"/\$3.ccls. or "709"/\$3.ccls. or "705"/\$3.ccls.) and (select\$5 or choos\$5 or specif\$5) near5 (queue near3 processing near3 (mechanism or method or scheme))	US-PGPUB; USPAT	AND	ON	2007/09/13 13:51
S64	39	(@ad<"20021205") and (cache near4 (hit or miss) near4 rate) and ((work or process\$5 or CPU) near3 time) and ((process\$5 or task or job or agent) near5 (complet\$5) near5 time)	US-PGPUB; USPAT	AND	ON	2007/09/13 11:04
S65	11	(@ad<"20021205") and (cache near4 (hit or miss) near4 rate) and ((work or process\$5 or CPU) near3 time) and ((process\$5 or task or job or agent) near5 (complet\$5) near5 time) and ((choice or choose or select\$5) near5 (task or process or agent))	US-PGPUB; USPAT	AND	ON	2007/09/13 11:28
S66	20	(@ad<"20021205") and (message near3 queue near3 processing).ab.	US-PGPUB; USPAT	AND	ON	2007/09/13 11:28
S67	24	(US-20030069974-\$ or US-20030055668-\$ or US-20030135722-\$ or US-20030037091-\$ or US-20040202165-\$ or US-20040100906-\$).did. or (US-6996821-\$ or US-5317738-\$ or US-5890217-\$ or US-5257359-\$ or US-5247675-\$ or US-6898793-\$ or US-6658453-\$ or US-6185619-\$ or US-6128657-\$ or US-6021427-\$ or US-5706516-\$ or US-5553239-\$ or US-5546594-\$ or US-6738378-\$ or US-6442585-\$ or US-6625639-\$ or US-5844980-\$ or US-5717745-\$).did.	US-PGPUB; USPAT	AND	ON	2007/09/13 13:17
S68	4	S67 and (set\$5 near4 (task or job or process or agent or program) near4 (priority or queue or order))	US-PGPUB; USPAT	AND	ON	2007/09/13 13:19

EAST Search History

S69	7	S67 and ((set\$5 or choos\$5 or select\$5) near4 (task or job or process or agent or program) near4 (priority or queue or order))	US-PGPUB; USPAT	AND	ON	2007/09/13 13:44
S70	6	S69 and ((cache near4 (hit or miss)) or (cache near4 time) or ((work\$5 or process\$5 or execut\$5) near4 time))	US-PGPUB; USPAT	AND	ON	2007/09/13 13:45
S71	147	(@ad<"20021205") and ((task or agent or process) near5 (schedul\$6 or priorit\$6)) and (cache near5 (hit or miss) near5 rate)	US-PGPUB; USPAT	AND	ON	2007/09/13 13:52
S72	91	(@ad<"20021205") and ((task or agent or process) near5 (schedul\$6 or priorit\$6)) and (cache near5 (hit or miss) near5 rate) and ((completion or run\$5 or executing or execution) near4 time)	US-PGPUB; USPAT	AND	ON	2007/09/13 16:30
S73	27	S72 and (queue or priority) near4 (assign\$6 or select\$6)	US-PGPUB; USPAT	AND	ON	2007/09/13 13:57
S74	24	(@ad<"20021205") and (process adj requestor)	US-PGPUB; USPAT	AND	ON	2007/09/13 16:32
S75	1	(@ad<"20021205") and (process adj requestor) near5 (number or quantity or amount or total or sum)	US-PGPUB; USPAT	AND	ON	2007/09/13 16:31
S76	2	(@ad<"20021205") and (prioritiz\$5 or schedul\$5) near3 (task or process or program or agent) near5 (based or "due to") near2 complex\$5	US-PGPUB; USPAT	AND	ON	2007/09/13 16:35